CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference UL-CA-2217534-0 E527854-20220429

Date

10-May-2022

Issued to:

JIANGSU JUNDA NEW ENERGY (US) CO., LTD 2546 N EMERSON ST DENVER, CO 80205

United States

This is to certify that representative samples of IZMR8 - Fuseholders, Photovoltaic Certified for Canada-

Component

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:

CSA C22.2 No. 4248-1, 2nd Ed., Issue Date: 2017-10, CSA

C22.2 No. 4248-19, 1st. Ed., Issue Date: 2015-11

Additional Information:


See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC



CERTIFICATE OF COMPLIANCE


Certificate Number Report Reference UL-CA-2217534-0 E527854-20220429

Date

10-May-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
JD-F(x)(y)1057, JD-F(x)(y)1057, Where X is wire size a:12AWG, b:10AWG, c:8AWG, Where y is ampere rating 01 - 04A	Fuseholders - Photovoltaio
JD-F(x)(y)1451, JD-F(x)(y)1451, Where X is wire size a:12AWG, b:10AWG, c:8AWG, Where y is 01 - 50 (1.56 times the fuseholder amp rating)	Fuseholders - Photovoltaic
JD-F(x)(y)2465, JD-F(x)(y)2465, Where X is wire size d:6AWG, Where y is ampere rating 35 - 65A	Fuseholders - Photovoltaic



Bruce Mahrenholz, Director North American Certification Program

ULLLC

